



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents  
United States Patent and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

BROWDY AND NEIMARK, P.L.L.C.  
624 NINTH STREET, NW  
SUITE 300  
WASHINGTON DC 20001-5303

**COPY MAILED**

**AUG 03 2007**

**OFFICE OF PETITIONS**

Applicant: Buhler, Philipp

Appl. No.: 10/535254

Filing Date: November 6, 2003

Title: DEVICE FOR CONTACT-LESS MEASUREMENT OF DISTANCES IN MULTIPLE DIRECTIONS

Pub. No.: US 2006/0152320 A1

Pub. Date: July 13, 2006

This is a decision on the request for a corrected patent application publication under 37 CFR 1.221(b), received on September 13, 2006, for the above-identified application

The request is DISMISSED.

Applicant requests that the application be republished because the patent application publication contains an erroneous title.

37 CFR 1.221 (b) is applicable "only when the Office makes a material mistake which is apparent from Office records.... Any request for a corrected publication or revised patent application publication other than provided as provided in paragraph (a) of this section must be filed within two months from the date of the patent application publication. This period is not extendable." A material mistake must affect the public's ability to appreciate the technical disclosure of the patent application publication, to determine the scope of the patent application publication, or to determine the scope of the provisional rights that an applicant may seek to enforce upon issuance of a patent.<sup>1</sup>

The error noted by requestor wherein the title is incorrect may be an Office error, but it is not a material Office error under 37 CFR 1.221. The mistake in title does not affect the public's ability to appreciate the technical disclosure of the patent application publication, or determine the scope of the patent application publication or determine the scope of the provisional rights that an applicant may seek to enforce upon issuance of a patent.

---

<sup>1</sup>Changes to Implement Eighteen-Month Publication of Patent Applications, 65 FR 57023, 57038 (Sept. 20, 2000), 1239, Off. Gaz. Pat. Office Notices 63, 75 (Oct. 10, 2000) (final rule).

On January 25, 2006, a Filing Receipt was mailed by the Office, which listed the title as "Evaluation Device and Vibration Damper for a Racket." To avoid this type of problem in the future, applicant's representative should make request a corrected filing receipt.

The applicant is advised that a "request for republication of an application previously published" may be filed under 37 CFR 1.221 (a). Such a request for republication "must include a copy of the application compliance with the Office's electronic filing system requirements and be accompanied by the publication fee set forth in § 1.18 (d) and the processing fee set forth in § 1.17 (i)." If the request for republication does not comply with the electronic filing system requirements, the republication will not take place and the publication fee set forth in § 1.18 (d) will be refunded. The processing fee will be retained.


It would greatly benefit the Office if **applicant did not provide copies of papers**, which were previously submitted, as it unnecessarily increases the cost to the Office. See 37 CFR 1.4(b). A request for corrected publication need only point out what was printed incorrectly in the application, where the error occurs in the publication and where the correct text or drawing is found in the application papers. Marked up relevant copies of the applications papers and the pre-grant publication may facilitate processing of the request, where it is not readily apparent where the error occurs. If it is not clear why the error is a material error, further explanation may be warranted.

Any request for republication under 37 CFR 1.221(a), must be submitted via the EFS system and questions or request for reconsideration of the decision, should be addressed as follows:

By mail to: Mail Stop PGPUB  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, Va. 22313-1450

By facsimile: 571-273-8300

Inquiries relating to this matter may be directed to Mark Polutta at (571) 272-7709 (voice).



Mark Polutta  
Senior Legal Advisor  
Office of Patent Legal Administration  
Office of the Deputy Commissioner  
for Patent Examination Policy